

WHAT IS CLAIMED IS

1. A pipetting device containing at least one magnet to
attach said pipetting device onto a magnetic material
by means of magnetic force.
2. A pipetting device containing at least one type of
magnetic material to attach said pipetting device onto
a magnetic material by means of magnetic force.
3. The pipetting device, as in claim 1, wherein said
magnet is of such a shape or size that provides for
stable attachment of the pipetting device to a
magnetic material surface.
4. The pipetting device, as in claim 1, wherein said
pipetting device is of any shape and size.
5. The pipetting device, as in claim 1, wherein said
pipetting device is a pipetting device selected from
the group consisting of an electronic pipetting
device, a mechanical pipetting device, an aspiration-
based pipetting device, a suction-based aspirating
device, and, combinations thereof.
6. The pipetting device, as in claim 1, wherein said
magnet is a magnetic material attached to a flexible
arm.

7. The pipetting device, as in claim 1, wherein said magnet has magnetic properties created by a means selected from the group consisting of physical, chemical, electromagnetic, electrochemical, and, combinations thereof.

8. The pipetting device, as in claim 1, wherein said pipetting device is selected from the group consisting of a fixed volume pipetting device, a variable volume pipetting device, a single channel pipetting device, a multi-channel pipetting device, a glass pipetting device, a plastic pipetting device, a manual pipetting device, an automatic pipetting device, an electronic pipetting device, a repeat-dispensing pipetting device, and, combinations thereof.

9. The pipetting device, as in claim 1, wherein said magnet is attached to said pipetting device by a method selected from the group consisting of adhesives-based, single-sided adhesive strip -based, double sided adhesive strip -based, screw-based, magnetic force -based, electromagnetic force -based, heat-based, pressure-based, embedding-based, clip-based, magnetic strip-based, methods, and, combinations thereof.

10. The pipetting device, as in claim 1, wherein said magnet is permanently attached to said pipetting device during the manufacture of said device.

5 11. The pipetting device, as in claim 1, wherein said magnet is reversibly attached to said pipetting device.

10 12. The pipetting device, as in claim 2, wherein said magnetic material is of such a shape or size that provides for stable attachment of the pipetting device to a magnetic surface.

13. The pipetting device, as in claim 2, wherein said pipetting device is of any shape and size.

15 14. The pipetting device, as in claim 2, wherein said pipetting device is a pipetting device selected from the group consisting of an electronic pipetting device, a mechanical pipetting device, an aspiration-based pipetting device, a suction-based aspirating device, and, combinations thereof.

20 15. The pipetting device, as in claim 2, wherein said magnetic material is a magnetic material attached to a flexible arm.

16. The pipetting device, as in claim 2, wherein said pipetting device is selected from the group consisting

of a fixed volume pipetting device, a variable volume
pipetting device, a single channel pipetting device, a
multi-channel pipetting device, a glass pipetting
device, a plastic pipetting device, a manual pipetting
5 device, an automatic pipetting device, an electronic
pipetting device, a repeat-dispensing pipetting
device, and, combinations thereof.

17. The pipetting device, as in claim 2, wherein said
magnetic material is attached to said pipetting device
10 by a method selected from the group consisting of
adhesives-based, single-sided adhesive strip -based,
double sided adhesive strip -based, screw-based,
magnetic force -based, electromagnetic force -based,
heat-based, pressure-based, embedding-based, clip-
15 based, magnetic strip-based, methods and, combinations
thereof.

18. The pipetting device, as in claim 2, wherein said
magnetic material is permanently attached to said
pipetting device during the manufacture of said
20 device.

19. The pipetting device, as in claim 2, wherein said
magnetic material is reversibly attached to said
pipetting device.

20. The pipetting device, as in claim 2, wherein said
magnetic material has magnetic properties that are
created by a means selected from the group consisting
of physical, chemical, electromagnetic,
5 electrochemical, and, combinations thereof.

10
15
20
25
30